

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-----------------------------------|---|------------------|---------|------------------|
| S180 | 94 | S179 not S173 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:30 |
| S179 | 106 | S176 and (cache\$2 same size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:30 |
| S178 | 0 | S177 not S173 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:29 |
| S177 | 35 | S176 and (buffer\$2 same size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:29 |
| S173 | 40 | S172 and (buffer\$2 same size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:29 |
| S176 | 285 | S175 and @ad<="20000609" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:28 |
| S175 | 711 | S174 and address\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:28 |
| S174 | 770 | numa and cache\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:28 |
| S172 | 196 | S171 and @ad<="20000609" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:28 |
| S161 | 42 | S160 and @ad<="20000609" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:02 |
| S171 | 492 | S170 and (address\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:01 |
| S170 | 668 | numa and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:01 |

| | | | | | | |
|----------|----|---|---|----|----|------------------|
| S16 9 | 1 | S168 and (address\$2 location\$2 control\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 16:01 |
| S16 8 | 1 | S166 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 14:48 |
| S16 7 | 1 | S164 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 14:47 |
| S16 6 | 1 | "6026448".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 14:47 |
| S16 5 | 1 | S164 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 14:46 |
| S16 4 | 1 | "6499028".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 14:37 |
| S16 3 | 1 | S157 and (message\$2 data) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/11 14:37 |
| | | "1" and ((control near3 (information data address\$2)) (memory near3 address#2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 17:33 |
| S16 2 | 33 | S160 not S161 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 15:42 |
| S16 0 | 75 | ((send\$4 near5 buffer\$2) and (receive\$4 buffer\$2)) same ((match\$4 equal\$4 'sam') near5 size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 15:01 |
| S15 9 | 23 | (address\$2 near5 (respons\$4 correspond\$4) near5 size\$2 near5 (data information)) and (dma (direct near3 memory near3 access)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 14:59 |
| S15 2 | 23 | (address\$2 near5 (respons\$4 correspond\$4) near5 size\$2 near5 (data information)) and (dma (direct near3 memory near3 access)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 14:26 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S15 8 | 1 | S157 and size\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 13:56 |
| S15 7 | 1 | "6658469".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 13:56 |
| S15 6 | 52 | (buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) and (read write) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/10 13:56 |
| S11 1 | 36 | (buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) and (read write) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:52 |
| S15 5 | 109 | (numa and buffer\$2) and (buffer\$2 same match\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:49 |
| S10 7 | 91 | (numa and buffer\$2) and (buffer\$2 same match\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:49 |
| S15 4 | 185 | ((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:47 |
| S15 3 | 566 | ((match\$4 equivalent: equal 'same') near5 (size\$2 near5 (data adj block\$2))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:47 |
| S80 | 90 | ((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:47 |
| S4 | 467 | ((match\$4 equivalent: equal 'same') near5 (size\$2 near5 (data adj block\$2))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:47 |
| S87 | 17 | (address\$2 near5 (respons\$4 correspond\$4) near5 size\$2 near5 (data information)) and (dma (direct near3 memory near3 access)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:45 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S15 1 | 1 | ((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and (buffer\$2 same match\$4 same size\$2s) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:44 |
| S99 | 1 | ((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and (buffer\$2 same match\$4 same size\$2s) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:44 |
| S15 0 | 488 | 711/171.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:42 |
| S14 9 | 803 | 710/56,310.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:42 |
| S14 8 | 4082 | 709/213,232,238.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:42 |
| S14 7 | 65 | (buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:37 |
| S1 | 46 | (buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:37 |
| S14 6 | 13 | (buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) not ((buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) and (read write)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S14 5 | 58 | (((((dma (direct adj memory adj access\$4)) and (read writ\$4) and ((memory near3 address\$4) (memory near3 location\$2) (address\$2))) and (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4))) not ((((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |
| S14 4 | 144 | (((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent)) and asynchronous\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |
| S14 3 | 308 | (((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |
| S11 2 | 10 | (buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) not ((buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) and (read write)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S51 | 25 | ((((dma (direct adj memory adj access\$4)) and (read writ\$4) and ((memory near3 address\$4) (memory near3 location\$2) (address\$2)))) and (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4))) not ((((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial)))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |
| S34 | 59 | (((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial)))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent)) and asynchronous\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |
| S28 | 139 | (((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial)))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:36 |
| S14 2 | 1 | S141 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:19 |
| S14 1 | 1 | "6499028".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:18 |
| | | (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)dma)) and (read write) and asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/09 17:18 |

| | | | | | | |
|------|-----|---|---|----|----|------------------|
| S140 | 1 | S139 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 15:29 |
| S139 | 1 | "6499028".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 15:29 |
| S138 | 1 | S135 and numa | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 15:29 |
| S137 | 1 | S135 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 14:34 |
| S136 | 241 | S131 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 13:55 |
| S135 | 1 | "6026448".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 13:55 |
| S134 | 0 | "6026448.pn" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 13:54 |
| S133 | 390 | 710/310.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 13:54 |
| S132 | 389 | 710/56.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 13:27 |
| S131 | 463 | 711/171.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 13:27 |
| S130 | 42 | (dns (domain near4 (name\$2 server\$2))) same (regular near3 expression\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 10:15 |
| S129 | 1 | "6681252".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 10:14 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| | | (dns (domain near4 (name\$2 server\$2)) same (regular near3 expression\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 10:14 |
| S12 8 | 1 | "6185598".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 10:10 |
| S12 7 | 1 | "6338082".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/25 09:43 |
| S12 6 | 1 | "6345361".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/24 07:43 |
| S12 5 | 1 | "6185598".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/24 07:41 |
| S12 4 | 0 | "6185598.pn" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/24 07:39 |
| S12 3 | 0 | "6195598.pn" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/24 07:39 |
| S12 0 | 11 | S119 and NUMA | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/24 07:38 |
| S12 2 | 4 | S121 not S120 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/23 14:44 |
| S12 1 | 15 | S117 and NUMA | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/23 14:44 |
| S11 9 | 422 | S118 and (data near3 transfer\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/23 14:42 |
| S11 8 | 881 | S117 and @ad <="20000609" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/23 14:38 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S11 7 | 1362 | buffer\$2 same (match\$4 near7 (block\$2 (size\$2 near4 data))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/23 14:37 |
| S11 6 | 6203 | buffer\$2 same ((match\$4 'same') near7 (block\$2 (size\$2 near4 data))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/23 14:36 |
| S21 | 1 | S12 and storage\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 17:40 |
| S20 | 0 | S12 and database | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 17:40 |
| S12 | 2 | ("6026448" "6499028").pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 17:36 |
| S19 | 1 | "6014695".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 17:11 |
| S18 | 2 | S17 and queue\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 17:11 |
| S17 | 2 | S12 and order | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 16:50 |
| S16 | 2 | S12 and protocol\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 16:47 |
| S15 | 1 | S12 and (byte near4 communication\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 15:00 |
| S14 | 0 | S12 and serial | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 14:59 |
| S13 | 1 | "2" and serial | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 14:56 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S11 | 1 | "6247041".pn. and (match\$4 equivalent equal 'same') | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 14:55 |
| S10 | 1 | S9 and (match\$4 equivalent equal 'same') | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 14:07 |
| S9 | 1 | "6275900".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 14:04 |
| S8 | 64 | S7 and (host client server user) near3 buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 14:04 |
| S3 | 0 | S2 and ((match\$4 equivalent equal 'same') near5 (size\$2 near5 (data adj block\$2))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 14:04 |
| S7 | 254 | S6 and (read write) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 13:54 |
| S6 | 291 | S4 and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 13:43 |
| S5 | 0 | S4 and numa | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 13:43 |
| S2 | 1487 | numa | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/22 13:42 |
| S11 5 | 168 | (buffer\$2 near5 'same' near5 size\$2 near4 (data block\$2)) and (read write) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 14:34 |
| S11 4 | 0 | ((buffer\$2 near5 'same' near5 size\$2 near4 (data block\$2)) and (read write)) and (numa) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 14:34 |
| S11 3 | 186 | buffer\$2 near5 'same' near5 size\$2 near4 (data block\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 14:34 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S10 9 | 46 | buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 14:33 |
| S11 0 | 0 | (buffer\$2 near5 match\$4 near5 size\$2 near4 (data block\$2)) and numa | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 14:26 |
| S10 8 | 90 | ((numa and buffer\$2) and (buffer\$2 same match\$4)) and (read write) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 14:18 |
| S10 6 | 528 | numa and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:59 |
| S10 5 | 198 | (((buffer\$2 same match\$4 same size\$2s)) and (read write)) and (send\$4 transfer\$4 transmit\$5)) and buffer\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:59 |
| S10 4 | 0 | (((buffer\$2 same match\$4 same size\$2s)) and (read write)) and (send\$4 transfer\$4 transmit\$5)) and numa | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:44 |
| S10 3 | 198 | (((buffer\$2 same match\$4 same size\$2s)) and (read write)) and (send\$4 transfer\$4 transmit\$5) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:43 |
| S10 2 | 146 | (((buffer\$2 same match\$4 same size\$2s)) and (read write)) and request\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:43 |
| S10 1 | 223 | ((buffer\$2 same match\$4 same size\$2s)) and (read write) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:43 |
| S10 0 | 319 | (buffer\$2 same match\$4 same size\$2s) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:42 |
| S97 | 72 | (((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$4) and (data near3 block\$2)) and (read write)) and (buffer\$2 same match\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:40 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S98 | 0 | (((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$4) and (data near3 block\$2)) and (read write)) and (buffer\$2 same match\$4)) and numa | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 13:34 |
| S96 | 203 | (((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$4) and (data near3 block\$2)) and (read write) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 12:30 |
| S95 | 218 | (((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$4) and (data near3 block\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 12:25 |
| S94 | 425 | ((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 12:23 |
| S93 | 425 | ((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$ | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 12:23 |
| S92 | 442 | ((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 12:22 |
| | | "1" and ((control near3 (information data address\$2)) (memory near3 address\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 12:22 |

| | | | | | | |
|-----|-----|--|------------------------------------|----|----|------------------|
| S91 | 736 | (transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/20 12:21 |
| S90 | 12 | ((address\$2 near5 (respons\$4 correspond\$4) near5 size\$2 near5 (data information)) and (dma (direct near3 memory near3 access))) and ((address\$2 location\$2) and (respons\$4 correspond\$4) and size\$2 and (data information))) and request\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:40 |
| S89 | 17 | ((address\$2 near5 (respons\$4 correspond\$4) near5 size\$2 near5 (data information)) and (dma (direct near3 memory near3 access))) and ((address\$2 location\$2) and (respons\$4 correspond\$4) and size\$2 and (data information)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:39 |
| S88 | 60 | (((((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access))) and (location\$2 near6 (size\$2 byte\$2 kb))) and ((address\$2 location\$2) and (respons\$4 correspond\$4) and size\$2 and (data information)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:38 |
| S85 | 165 | address\$2 near5 (respons\$4 correspond\$4) near5 size\$2 near5 (data information) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:37 |
| S75 | 42 | ((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and ((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:36 |
| | | S8 and (dma (direct near3 memory near3 access))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:36 |

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S86 | 0 | (address\$2 near5 (respons\$4 correspond\$4) near5 size\$2 near5 (data information)) and (numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:35 |
| S76 | 251 | ((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:35 |
| S84 | 59 | ((((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access)))) and request\$4) and (address\$2 location\$2)) and (size\$2 byte\$2 kb\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:34 |
| S83 | 70 | ((((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access)))) and request\$4) and (address\$2 location\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:23 |
| S82 | 247730 | "73" and (address\$2 location\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:22 |
| S81 | 73 | ((((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access)))) and request\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 14:22 |
| S79 | 61 | ((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access))) and (location\$2 near6 (size\$2 byte\$2 kb)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 13:44 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S78 | 118 | (((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access))) not (((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and ((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access))))) and (address\$2 near10 size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 11:03 |
| S70 | 3658 | ((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (address\$2 near10 size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 11:03 |
| S77 | 209 | (((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access))) not (((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and ((numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (dma (direct near3 memory near3 access))))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 11:02 |
| S69 | 6633 | (numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 11:02 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S74 | 416 | (((((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (address\$2 near10 size\$2 near10 (data information))) and asynchron\$6) and (request\$4 and (respond\$4))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:31 |
| S73 | 18 | (((((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (address\$2 near10 size\$2 near10 (data information))) and asynchron\$6) and (address\$2 same agree\$6)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:30 |
| S72 | 676 | (((((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (address\$2 near10 size\$2 near10 (data information))) and asynchron\$6 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:30 |
| S71 | 1645 | ((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (address\$2 near10 size\$2 near10 (data information)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:29 |
| S68 | 12589 | (numa dma (direct near3 memory near3 access) (non-uniform near4 access) (non near5 memory)) and (address\$2 same size\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:26 |
| S67 | 1 | ("6275900".PN. and size\$2) and byte\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:24 |
| S64 | 1 | "6275900".PN. and size\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:13 |
| S66 | 1 | "6026448".pn. and size\$2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:12 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S65 | 1 | "6026448".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 10:12 |
| S63 | 1 | "6275900".PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/12/30 09:58 |
| S62 | 1 | "6141692".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/23 09:04 |
| S61 | 8 | ("6275900" "6026448" "6247041" "6415361" "6351784" "6114692" "6075938" "6243794").pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/23 09:04 |
| S59 | 2 | ((("6275900" "6026448").pn.) and (dma (direct near3 memory))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/22 18:22 |
| S60 | 2 | ((("6275900" "6026448").pn.) and ((dma (direct near3 memory)) and independent\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/22 17:11 |
| S58 | 2 | ((("6275900" "6026448").pn.) and (protocol\$2 link\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/22 16:28 |
| S57 | 2 | ("6275900" "6026448").pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/22 15:11 |
| S56 | 2 | ("5067099" "4937763").pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/22 15:11 |
| S55 | 3 | ("6195680" "6175874" "6351775").pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 15:44 |
| S54 | 18 | (dma (direct near3 memory)) and (atm asynchron\$8) and (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 15:44 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S50 | 37 | ((dma (direct adj memory adj access\$4)) and (read writ\$4) and ((memory near3 address\$4) (memory near3 location\$2) (address\$2))) and (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 15:32 |
| S45 | 138 | (((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 14:20 |
| S53 | 25 | (((((dma (direct adj memory adj access\$4)) and (read writ\$4) and ((memory near3 address\$4) (memory near3 location\$2) (address\$2))) and (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4))) not ((((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent))) not ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (dma (direct near3 memory)) and (read write) and (asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)))) not ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 11:58 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S52 | 25 | (((dma (direct adj memory adj access\$4)) and (read writ\$4) and ((memory near3 address\$4) (memory near3 location\$2) (address\$2))) and (numa (non-uniform adj memory adj access\$4) (non adj uniform adj meemory adj access\$4))) not ((((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj meemory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent))) not ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj meemory adj access\$4)) and (dma (direct near3 memory)) and (read write) and (asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 11:57 |
| S49 | 15686 | (dma (direct adj memory adj access\$4)) and (read writ\$4) and ((memory near3 address\$4) (memory near3 location\$2) (address\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 11:56 |
| S48 | 43 | ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj meemory adj access\$4)) and (asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2))) not ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj meemory adj access\$4)) and (dma (direct near3 memory)) and (read write) and (asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 11:52 |
| S47 | 55 | (numa (non-uniform adj memory adj access\$4) (non adj uniform adj meemory adj access\$4)) and (asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 10:19 |

| | | | | | | |
|-----|-------|---|------------------------------------|----|----|------------------|
| S46 | 12 | (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (dma (direct near3 memory)) and (read write) and (asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 10:17 |
| S29 | 138 | (((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 10:06 |
| | | (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)dma)) and (read write) and asynchronous\$4 and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 10:05 |
| S44 | 16 | (((((709/203, "212", "228", "238". ccls.) and (numa dma)) and (read write) and asynchronous\$4) and (request\$4 respons\$4)) and ((memory near3 address\$2) (memory near3 location\$2))) and ((non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/21 10:02 |
| S43 | 1332 | (((((709/203, "212", "228", "238". ccls.) and (numa dma)) and (read write) and asynchronous\$4) and (request\$4 respons\$4)) and ((memory near3 address\$2) (memory near3 location\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:21 |
| S42 | 58507 | (((((709/203, "212", "228", "238". ccls.) and (numa dma)) and (read write) and asynchronous\$4) and (request\$4 respons\$4)) and (memory near3 address\$2) (memory near3 location\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:21 |

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S33 | 138 | ((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:21 |
| S41 | 1691 | ((((709/203, "212", "228", "238". ccls.) and (numa dma)) and (read write) and asynchronous\$4) and (request\$4 respons\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:20 |
| S40 | 1725 | ((709/203, "212", "228", "238". ccls.) and (numa dma)) and (read write) and asynchronous\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:19 |
| S39 | 29899 | ("6" and (read write) and asynchronous\$4) and (request\$4 respons\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:19 |
| S38 | 33492 | "6" and (read write) and asynchronous\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:19 |
| S37 | 6112 | (709/203, "212", "228", "238". ccls.) and (numa dma) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:16 |
| S36 | 458470 | 709/203, "212", "228", "238".ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:16 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S35 | 79 | ((((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent)) not ((((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent)) and asynchronous\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/20 15:14 |
| S32 | 109 | ((((((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4 address\$4)) and (request\$4 respons\$6 send\$4 sent)) and (memory near5 address\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/19 15:22 |
| S31 | 1 | "6275900".pn. and (memory address\$2) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/19 15:18 |
| S30 | 1 | "6275900".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/19 15:18 |
| S27 | 138 | (((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2))) and (read\$4 writ\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/18 13:34 |

| | | | | | | |
|-----|------|--|------------------------------------|----|----|------------------|
| S26 | 139 | ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4)) and (asynchron\$8 (any near5 order\$2) (different near4 order\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/18 13:33 |
| S25 | 343 | ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/18 13:30 |
| S24 | 339 | ((numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial))) and (location\$2 address\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/18 13:15 |
| S23 | 379 | (numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4)) and (protocol (byte near3 serial)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/02 16:05 |
| S22 | 1100 | numa (non-uniform adj memory adj access\$4) (non adj uniform adj memeory adj access\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/05/02 16:04 |